er.	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
	Secondary Competency Task List	
	ORIENTATION	
-	Explain and follow all lab rules.	
	Participate in shop management.	
	Participate in parts ordering.	
	Demonstrate auto shop safety and hygiene.	
	RESERVED (105)	
	Provide customer service and communicate technical and service information to clients.	
	Identify a vehicle by sight, vehicle identification number (VIN) and ID tag.	
108	Investigate career paths within the automotive technology profession.	
	Complete a work order to include customer information, vehicle identifying information, customer concern, related service history, cause, and	
	correction.	
	Research applicable vehicle and service information, vehicle service history, service precautions, and technical service bulletins. Locate and interpret vehicle and major component identification numbers.	
200	SAFETY	
201	Identify and follow all safety rules.	
202	Demonstrate the ability to secure vehicles on jack stands and hydraulic lifts.	
	Demonstrate the ability to set-up/shut-down oxygen acetylene welding equipment.	
204	Identify chemical safety, Right-To-Know laws and Safety Data Sheets (SDS).	
	Identify and use hand tools.	
	Identify and use power tools.	
207	Wear personal protective equipment (PPE).	
	Follow guidelines for use of fire protection equipment.	
	RESERVED (209)	
210	Follow EPA and OSHA regulations.	
300	TOOLS/FASTENERS	
301	Identify and use fasteners and bolts.	
	Drill and use re-threading tools.	
	Read and interpret precision automotive measuring tools.	
304	Identify and use automotive specialty tools.	
305	Perform common fastener and thread repairs, including remove broken bolt, restore internal and external threads, and repair internal threads with a threaded insert.	

<b>_</b>	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
400	CERTIFICATIONS	
	Prepare to obtain PA Safety Inspection Certification.	
	Prepare to obtain FA 609 Refrigerant Recovery and Recycling Certification.	<u> </u>
	Prepare to obtain Er A dos Reingerant Recovery and Recycling Certification.	
	Obtain PA Emission Repetition	
100		
500	SUSPENSION AND STEERING	
	RESERVED	
	Identify and interpret suspension and steering system concerns and determine necessary actions.	1
	RESERVED	1
	RESERVED	
	RESERVED	
	RESERVED	
507	Inspect rack and pinion steering gear and mounting bushings and brackets.	
	Inspect rack and pinion steering gear inner tie rod ends (sockets) and bellows boots.	
	Determine proper power steering fluid type and inspect fluid level and condition.	
	Flush, fill, and bleed power steering system.	
	Diagnose power steering fluid leakage and determine necessary actions.	
512	RESERVED (512)	
513	Remove and reinstall power steering pump.	
514	Remove and reinstall press fit power steering pump pulley and check pulley and belt alignment.	
515	Inspect and replace power steering hoses and fittings.	
	Inspect and replace pitman arm, relay (centerlink/intermediate) rod, idler arm and mountings, and steering linkage damper.	
517	Inspect, replace, and adjust tie rod ends (sockets), tie rod sleeves, and clamps.	
	RESERVED (518)	
519	Inspect, and replace upper and lower control arms, bushings, shafts, and rebound bumpers.	
	Inspect and replace strut rods and bushings.	
	Inspect and replace upper and lower ball joints.	
	Inspect and replace steering knuckle assemblies.	
	Inspect and replace short and long arm suspension system coil springs and spring insulators.	
	Inspect, replace, and adjust suspension system torsion bars and inspect mounts.	
	Inspect and replace stabilizer bar bushings, brackets, and links.	
	Inspect and replace strut cartridge or assembly, strut coil spring, insulators (silencers), and upper strut bearing mount.	
	Inspect, remove, and replace shock absorbers.	
	RESERVED (528)	
	Lubricate suspension and steering systems.	
	Perform pre-alignment inspection and measure vehicle ride height and; perform necessary actions.	
	Perform four-wheel alignment.	
	RESERVED	
	RESERVED	
	RESERVED	
	Check front and rear cradle (subframe) alignment.	
	Inspect tire condition, identify tire wear patterns, and check and adjust air pressure.	
	Diagnose wheel/tire vibration, shimmy, and noise.	
	Rotate tires according to manufacturer's recommendations.	
539	Measure wheel, tire, axle flange, and hub runout.	
540	RESERVED	1

	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
541	RESERVED	
542	Dismount, inspect, and remount tire and balance wheel equipped with tire pressure monitoring system sensor.	
543	RESERVED	
544	Inspect tire and wheel assembly for air loss.	
	Repair tire using internal patch.	
	Identify indirect and direct tire pressure monitoring systems (TPMS), perform system calibration, and verify operation of instrument panel lamps.	
547	Identify and perform steps required to remove and replace sensors in a tire pressure monitoring system (TPMS) including relearn procedure.	
	Identify the need for reset procedures post wheel alignment.	
549	Identify and diagnose electronic power steering systems.	
560		
	Inspect steering shaft universal-joint(s), flexible coupling(s), collapsible column, lock cylinder mechanism, and steering wheel; perform necessary action.	
	Adjust non-rack and pinion worm bearing preload and sector lash.	
	Diagnose short and long arm suspension system noises, body sway, and uneven ride height concerns; determine necessary action.	
	Diagnose strut suspension system noises, body sway, and uneven ride height concerns; determine necessary action.	
	Describe the function of the idle speed compensation switch.	
565	Diagnose vehicle wander, drift, pull, hard steering, bump steer, memory steer, torque steer, and steering return concerns; determine necessary action.	
600		
	BRAKES RESERVED	
	RESERVED Identify and interpret brake system concerns.	
	RESERVED (603-604)	
	RESERVED (603-604)	
	Measure brake pedal height, travel, and free play as applicable.	
	Check master cylinder for internal/external leaks and proper operation.	
	Remove, bench bleed, and reinstall master cylinder. Inspect brake lines, flexible hoses, and fittings for leaks, dents, kinks, rust, cracks, bulging or wear; tighten loose fittings and supports; and	
	determine necessary actions.	
610	Replace brake lines, hoses, fittings, and supports.	
610	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types).	
610 611	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level.	
610 611 612	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system.	
610 611 612 613	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system.	
610 611 612 613 614	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns.	
610 611 612 613 614 615	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums.	
610 611 612 613 614 615 616	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter.	
610 611 612 613 614 615 616 617	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble.	
610 611 612 613 614 615 616 617 617 618	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble. Inspect and install wheel cylinders.	
610 611 612 613 614 615 616 617 617 618 619	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble. Inspect and install wheel cylinders. Pre-adjust brake shoes and parking brake, install brake drums or drum/hub assemblies, and wheel bearings.	
610 611 612 613 614 615 616 617 617 618 619 620	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble. Inspect and install wheel cylinders. Pre-adjust brake shoes and parking brake, install brake drums or drum/hub assemblies, and wheel bearings. Install wheel, torque lug nuts, and make final checks and adjustments.	
610 611 612 613 614 615 616 617 617 618 619 620 621	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble. Inspect and install wheel cylinders. Pre-adjust brake shoes and parking brake, install brake drums or drum/hub assemblies, and wheel bearings. ReSERVED (621)	
610 611 612 613 614 615 616 617 617 618 619 620 621 622	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble. Inspect and install wheel cylinders. Pre-adjust brake shoes and parking brake, install brake drums or drum/hub assemblies, and wheel bearings. Install wheel, torque lug nuts, and make final checks and adjustments. RESERVED (621) Remove caliper assembly, inspect for leaks, and damage to caliper housing.	
610 611 612 613 614 615 616 617 617 618 619 620 621 622 623	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble. Inspect and install wheel cylinders. Pre-adjust brake shoes and parking brake, install brake drums or drum/hub assemblies, and wheel bearings. Install wheel, torque lug nuts, and make final checks and adjustments. RESERVED (621) Remove caliper assembly, inspect for leaks, and damage to caliper housing. Clean and inspect caliper mounting and slides/pins for operation, wear, and damage.	
610 611 612 613 614 615 616 617 617 618 619 620 621 622 623 624	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble. Inspect and install wheel cylinders. Pre-adjust brake shoes and parking brake, install brake drums or drum/hub assemblies, and wheel bearings. Install wheel, torque lug nuts, and make final checks and adjustments. RESERVED (621) Remove caliper assembly, inspect for leaks, and damage to caliper housing. Clean and inspect caliper mounting and slides/pins for operation, wear, and damage. Reassemble, lubricate, and reinstall caliper, pads, and related hardware; seat pads; and inspect for leaks.	
610 611 612 613 614 615 616 617 617 618 617 620 621 622 623 624 622	Replace brake lines, hoses, fittings, and supports. Fabricate brake lines using proper material and flaring procedures (double flare and ISO types). Select, handle, store, and test brake fluid for contamination and fill to proper level. Inspect, test, and replace components of brake warning light system. Bleed and flush brake system. Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging, or pedal pulsation concerns. Remove, clean, inspect, and measure brake drums. Refinish brake drum and measure final drum diameter. Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates then lubricate and reassemble. Inspect and install wheel cylinders. Pre-adjust brake shoes and parking brake, install brake drums or drum/hub assemblies, and wheel bearings. Install wheel, torque lug nuts, and make final checks and adjustments. RESERVED (621) Remove caliper assembly, inspect for leaks, and damage to caliper housing. Clean and inspect caliper mounting and slides/pins for operation, wear, and damage.	

L	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
627	Refinish rotor and measure final rotor thickness.	
628	RESERVED (628-629)	
629	RESERVED (628-629)	
630	Check brake pad wear indicator system operation.	
	RESERVED (631)	
632	Check vacuum supply to vacuum-type power booster and check power assist operation.	
633	Remove, clean, inspect, repack, and install wheel bearings, RACES and replace seals; install hub; and adjust bearings.	
	Check parking brake cables and components including integral parking brake system for wear, binding, and corrosion then clean, lubricate,	
	adjust, or replace as needed.	
635	Check parking brake and indicator light system operation.	
	Check operation of brake stop light system.	
	RESERVED (637)	
	Inspect and replace wheel studs.	
	Remove and reinstall sealed wheel bearing assembly.	
	Identify and inspect electronic brake control system components.	
	Diagnose electronic brake control system, electronic control(s), and components by retrieving diagnostic trouble codes and using	
	recommended test equipment.	
	RESERVED (642)	
	Bleed the electronic brake control system hydraulic circuits.	
	Identify traction control/vehicle stability control system components.	
	Describe the operation of a regenerative braking system. Diagnose pressure concerns in the brake system using hydraulic principles (Pascal's Law).	
	Test brake fluid for contamination.	
	Remove, inspect and replace pads and retaining hardware; determine necessary action.	
	Disassemble and clean caliper assembly; inspect parts for wear, rust, scoring, and damage. Replace seal, boot and damaged or worn parts.	
	Inspect the vacuum-type power booster unit for leaks; inspect the check valve for proper operation; determine necessary action.	
	Diagnose wheel bearing noises, wheel shimmy, and vibration concerns; determine necessary action.	
	Remove and install electronic brake control system electrical/electronic and hydraulic components.	
	Test, diagnose, and service electronic brake control system speed sensors (digital and analog), toothed ring (tone wheel), and circuits using a graphing	
	multimeter (GMM)/digital storage oscilloscope (DSO) (includes output signal, resistance, shorts to voltage/ground, and frequency data).	
	namment (Shini) album songe soonosoope (SSS) (menares sagan signar, consumer, shore is former grants and requires analy	
700	ELECTRICAL/ELECTRONIC SYSTEMS -	
	RESERVED (701)	
	Identify and interpret electrical/electronic system concerns.	
	RESERVED (703-704)	
	RESERVED (703-704)	
	Use wiring diagrams during diagnosis of electrical circuit problems.	
	Check electrical circuits with a test light.	
	Check electrical circuits using fused jumper wires.	
708	Locate shorts, grounds, opens, and resistance problems in electrical/electronic circuits.	
709	Measure and diagnose the cause(s) of excessive parasitic draw.	
	Inspect and test fusible links, circuit breakers, and fuses.	
	Inspect and test switches, connectors, relays, solenoid solid state devices, and wires of electrical/electronic circuits.	
	Remove and replace terminal end from connector, replace connectors, and terminal ends.	
	Repair wiring harness and solder repair.	
	RESERVED (714)	
	Identify location of electric hybrid vehicle high voltage circuit disconnect (service plug) location and safety procedures.	
716	Perform battery state-of-charge test.	

<u>ب</u>	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
717	Perform battery capacity test and confirm proper battery capacity for vehicle application.	
	Maintain and restore electronic memory functions.	
	Inspect, clean, fill, and replace battery, battery cables, connectors, clamps, and hold-downs.	
	Perform battery charge.	
721	Start a vehicle using jumper cables or an auxiliary power supply.	
722	Identify electronic modules, security systems, radios, and other accessories that require reinitialization or code entry following battery	
	disconnect.	
	Perform starter current draw tests.	
	Perform starter circuit voltage drop tests. Inspect and test starter relays and solenoids.	
	Remove and install starter in a vehicle.	
	Inspect and test switches, connectors, and wires of starter control circuits and perform necessary action.	
728	Differentiate between electrical and engine mechanical problems that cause a slow-crank or no-crank condition.	
	Perform charging system output test and determine necessary action.	
	Diagnose charging system for the cause of undercharge, no-charge, and overcharge conditions.	
	REŠERVED (731)	
732	Remove, inspect, and install generator (alternator).	
	RESERVED (733-734)	
	RESERVED (733-734)	
	Inspect, replace, and aim headlights and bulbs.	
	RESERVED (736-738)	
	RESERVED (736-738)	
	RESERVED (736-738)	
	Diagnose the cause of incorrect operation of warning devices and other driver information systems. Diagnose incorrect horn operation.	
	Diagnose incorrect norm operation. Diagnose incorrect wiper operation and diagnose wiper speed control and park problems.	
	Diagnose incorrect washer operation.	
	Diagnose incorrect operation of motor-driven accessory circuits.	t
	RESERVED (745)	
	Remove and reinstall door panel.	
	Use a digital multimeter (DMM).	
	Demonstrate knowledge of an automatic idle start/stop system.	
	Diagnose electrical/electronic integrity of series, parallel and series-parallel circuits using principles of electricity (Ohm's Law).	
761	Demonstrate the proper use of a digital multimeter (DMM) during diagnosis of electrical circuit problems, including: source voltage, voltage drop, current flow, and resistance.	
762	Identify high voltage circuits of electric or hybrid electric vehicle and related safety precautions.	
	Identify hybrid vehicle auxiliary (12v) battery service, repair and test procedures.	
	Identify system voltage and safety precautions associated with high intensity discharge headlights.	
765	Inspect and test sensors, connectors, and wire of electronic (digital) instrument circuits; determine necessary action.	
766	Diagnose incorrect electric lock operation (including remote keyless entry); determine necessary action.	
767	Diagnose supplemental restraint system (SRS) concerns; determine necessary action.	
768	Describe the operation of keyless entry/remote-start systems.	
000		
	ENGINE PERFORMANCE RESERVED (801)	
001 802	Identify and interpret engine performance concern.	
803	RESERVED (803-805)	<u> </u>
000		ł

<u>ب</u>	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
804	RESERVED (803-805)	
805	RESERVED (803-805)	
806	Diagnose abnormal engine noise or vibration concerns.	
807	Diagnose abnormal exhaust color, odor, and sound.	
808	Perform engine absolute (vacuum/boost) manifold pressure tests.	
809	Perform cylinder power balance test.	
	Perform cylinder cranking and running compression tests.	
811	Perform cylinder leakage test.	
	Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns.	
	Verify engine operating temperature.	
	RESERVED (814-815)	
	RESERVED (814-815)	
816	Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data and clear codes when applicable.	4
817	Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes and obtain, graph, and interpret scan tool data.	
	Access and use service information to perform step-by-step diagnosis.	
	Perform active tests of actuators using a scan tool.	
	Describe the importance of running all OBDII monitors for repair verification.	
	RESERVED (821)	
822	Inspect and test ignition primary and secondary circuit wiring and solid-state components and test ignition coil(s).	
	Inspect and test crankshaft and camshaft position sensor(s).	
824	Inspect, test, and replace ignition control module and powertrain/engine control module and reprogram as necessary.	
	Diagnose hot or cold no-starting, hard starting, poor drivability, incorrect idle speed, poor idle, flooding, hesitation, surging, engine misfire,	
	power loss, stalling, poor mileage, dieseling, and emissions problems.	
	Inspect and test fuel pumps and pump control systems for pressure, regulation, and volume. Replace fuel filters.	
	- •	
	Inspect throttle body, air induction system, intake manifold, and gaskets for vacuum leaks and unmetered air.	
	Inspect and test fuel injectors. Verify idle control operation.	
	Inspect the integrity of the exhaust manifold, exhaust pipes, muffler(s), catalytic converter(s), resonator(s), tail pipe(s), and heat shield(s). RESERVED (832)	
	Inspect, test, and service positive crankcase ventilation (PCV) filter/breather cap, valve, tubes, orifices, and hoses.	
	RESERVED (834)	
835	Inspect, test, service, and replace components of the EGR system, including electrical/electronic sensors, controls, and wiring, EGR tubing,	
000	exhaust passages, vacuum/pressure controls, filters, and hoses. RESERVED (836)	
	Inspect and test mechanical components of secondary air injection systems. Inspect and test electrical/electronically operated components and circuits of air injection systems.	
	Inspect and test electrical/electronically operated components and circuits of air injection systems.	
	RESERVED (840)	
	Inspect and test components and hoses of the evaporative emissions control system.	
	Interpret diagnostic trouble codes (DTCs) and scan tool data related to the emissions control systems.	
	RESERVED (843-846)	
0+0		۰

Ŀ	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
847	Remove, inspect and Install spark plugs. Measure spark plug gap	
	Diagnose emissions or drivability concerns without stored diagnostic trouble codes; determine necessary action.	
861	Inspect and test computerized engine control system sensors, powertrain/engine control module (PCM/ECM), actuators, and circuits using a graphing multimeter (GMM)/digital storage oscilloscope (DSO); perform necessary action.	
	Check fuel for contaminants and quality; determine necessary action.	
	Perform exhaust system back-pressure test; determine necessary action.	
	Adjust valves on engines with mechanical or hydraulic lifters.	
865	Perform common fastener and thread repairs, to include: remove broken bolt, restore internal and external threads, and repair internal thread with a threaded insert.	
866	Identify hybrid vehicle internal combustion engine service precautions.	
900	ENGINE REPAIR	
	RESERVED (901)	
	Verify operation of the instrument panel engine warning indicators.	
	Install engine covers using gaskets, seals, and sealers.	
	RESERVED (904)	
	Identify valve adjustment procedures.	
	Inspect, replace, and adjust drive belts, tensioners, and pulleys and check pulley and belt alignment.	
907	Inspect and test coolant, drain and recover coolant, and flush and refill cooling system with recommended coolant.	
	Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses.	
	Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks.	
	Remove and replace timing belt or chain and verify correct camshaft timing.	
	Remove and replace thermostat and gasket/seal.	
	Inspect and test mechanical/electrical fans, fan clutch, fan shroud/ducting, air dams, and fan control devices.	
913	Perform engine oil and filter change.	

er	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
1000	AUTOMATIC TRANSMISSION AND TRANSAXLE	
	RESERVED (1001)	
	Check fluid level and fluid condition in a transmission or a transaxle equipped with a dipstick.	
	Check fluid level and fluid condition in a transmission or a transaxle not equipped with a dipstick.	
	Drain, replace, and exchange fluid and filter(s).	
1005	Identify drivetrain components and configuration.	
	Inspect, adjust, and replace external manual valve shift linkage, transmission range sensor/switch, and park/neutral switch.	
	Inspect for leakage at external seals, gaskets, and bushings.	
1008	Inspect, replace, and align powertrain mounts.	
	MANUAL DRIVE TRAIN AND AXLES	
	RESERVED (1101)	
	Drain and refill manual transmission/transaxle and final drive unit.	
	Check and adjust clutch master cylinder fluid level.	
	Check for system leaks.	
	Check and adjust differential housing fluid level.	
	Drain and refill differential housing.	
1107	Identify, inspect, and replace manual drivetrain and axle components and configuration.	
1200	HEATING AND AIR CONDITIONING - This whole section is taught in 5	
	RESERVED	
	RESERVED	
	Inspect air conditioning (A/C) condenser for airflow restrictions.	
	Inspect engine cooling and heating systems hoses.	
	Inspect A/C heating ducts, doors, hoses, cabin filters, and outlets.	
	Check for A/C leaks.	
	Identify refrigerant type and recovery procedure.	
3000	HEATING & AIR CONDITIONING DIAGNOSIS & REPAIR - This whole section is atught in section 5	
	Identify and interpret heating and air conditioning concern; determine necessary action	
	Research applicable service information, locate and interpret identification numbers, certification, and calibration decals	
	Diagnose and performance test the A/C system using principles of refrigeration; determine necessary action	
	Diagnose and repair A/C compressor and clutch components	
	Diagnose and repair evaporator, condenser, and related components	
	Diagnose the heating system; determine necessary action	
	Repair or replace the heating system components	
	Operating Systems and related controls diagnosis and repair.	
	Diagnose the automatic and electrical temperature controls	
	Repair or replace the automatic and electrical temperature controls	
	Demonstrate the proper use and maintenance of refrigerant handling equipment	
3071	Identify, recover, recycle, label, and store refrigerant	
3072	Evacuate and charge the A/C system	

Unit/Standard Number	<u>High School Graduation Years 2025, 2026 and 2027</u> Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
3100	GENERAL ENGINE DIAGNOSIS; REMOVAL AND REINSTALLATION - This whole section is taught in 2	
3160	Identify and interpret engine concern; determine necessary action	
3161	Remove and replace engine in front-wheel drive vehicle (OBD I or newer)	
3162	Remove and replace engine in rear-wheel drive vehicle (OBD I or newer)	
3163	Remove, inspect, and test the cylinder head(s)	
	Install, torque, and adjust the cylinder head(s)	
	Recondition the cam in block cylinder head(s)	
	Recondition the OHV cylinder head(s)	
	Disassemble the engine block	
	Inspect and clean the engine block components; determine necessary action	
	Inspect, check, and record the short block measurements; determine necessary action	
3170	Assemble the engine according the manufacturer's specifications	
2200		
	LUBRICATION AND COOLING SYSTEMS DIAGNOSIS AND REPAIR - This whole section is taught in 2	
	Inspect, test, and repair the oil systems and components Perform cooling system tests; determine necessary action	
	Inspect, replace and adjust the drive belts and hoses	
	Inspect, test, and replace cooling system components	
3264	Test coolant, drain, flush, and refill cooling system with recommended coolant; bleed air as required	
5201		
3300	GENERAL TRANSMISSION AND TRANSAXLE DIAGNOSIS - This whole section will be taught in 6	
	Identify and interpret transmission / transaxle concern; assure proper engine operation; determine necessary action	
3361	Research applicable service information; locate and interpret identification numbers, certification, and calibration decals.	
3362	Diagnosis and performance test transmission / transaxle; determine necessary action	
	TRANSMISSION AND TRANSAXLE MAINTENANCE AND ADJUSTMENT - This whole section will be taught in 6	
4060	Inspect, adjust, or replace the throttle valve linkages or cables; manual shift linkages or cables; transmission range sensor; check gear select indicator	
4061	Service transmission; perform visual inspection; replace fluids and filters	
	Inspect, adjust, and replace sensors, cables, and actuators	
4063	Inspect and replace external bushings, seals, and gaskets	
4064	Inspect, leak test, flush, and replace cooler, lines, and fittings	
	Diagnose electronic transmission control systems using a scan tool; determine necessary action	
	Inspect, replace, and align powertrain mounts	
	Remove and reinstall transmission / transaxle and torque converter	ļ
	Identify and interpret drive train concern; determine necessary action	
	Determine proper fluids and fluid levels	<b>├</b> ──── <b>┤</b>
4070	Drain and refill transmission / transaxle and final drive unit	
L		1

ŗ	High School Graduation Years 2025, 2026 and 2027	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
4100	GENERAL DRIVE TRAIN DIAGNOSIS & REPAIR - This whole section will be taught in 6	
4160	Inspect and diagnose the clutch; determine necessary action	
	Remove and replace the clutch assembly and components	
4163	Inspect and diagnose the drive shaft and universal joints, perform necessary action	
4164	Inspect and diagnose the half shaft and CV joints; perform necessary action	
4165	Diagnose differential assembly; determine necessary action	
4166	Disassemble and inspect the differential; perform necessary action	
4167	Inspect and diagnose the limited slip differential; perform necessary action	
4168	Inspect and diagnose the drive shaft and components; perform necessary action	
4169	Diagnose noise, vibrations, and leaks; determine necessary action	
	Inspect, adjust, and repair shift controls	
	Disassemble and inspect the transfer case; perform necessary action	
4172	Inspect the front-wheel bearings, hubs, and components; perform necessary action	
4173	Inspect and diagnose electrical components; perform necessary action	
		ļ